

兔抗 ALCAM 多克隆抗体

中文名称: 兔抗 ALCAM 多克隆抗体

英文名称: Anti-ALCAM rabbit polyclonal antibody

别 名: MEMD; CD166

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: ALCAM

反应种属: Human, Mouse, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

	This gene encodes activated leukocyte cell adhesion m
	olecule (ALCAM), also known as CD166 (cluster of diff
	erentiation 166), which is a member of a subfamily of
	immunoglobulin receptors with five immunoglobulin-li
Background:	ke domains (VVC2C2C2) in the extracellular domain. T
	his protein binds to T-cell differentiation antigene CD6
	, and is implicated in the processes of cell adhesion a
	nd migration. Multiple alternatively spliced transcript v
	ariants encoding different isoforms have been found.
Applications:	ELISA, WB, IHC



Name of antibody:	ALCAM
Immunogen:	Synthetic peptide of human ALCAM
Full name:	activated leukocyte cell adhesion molecule
Synonyms:	MEMD; CD166
SwissProt:	Q13740
ELISA Recommended dilution:	1000-2000
IHC positive control:	Human prostate cancer and Human thyroid cancer
IHC Recommend dilution:	25-100
WB Predicted band size:	65 kDa
WB Positive control:	Mouse thymus tissue
WB Recommended dilution:	200-1000





