

兔抗 ARHGDIA 多克隆抗体

中文名称: 兔抗 ARHGDIA 多克隆抗体

英文名称: Anti-ARHGDIA rabbit polyclonal antibody

别 名: GDIA1; NPHS8; RHOGDI; RHOGDI-1; HEL-S-47e

相关类别: 一抗

抗 原: ARHGDIA

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

| Background: | Aplysia Ras-related homologs (ARHs), also called Rho genes, belong to the RAS gene superfamily encoding small guanine nucleotide exchange (GT P/GDP) factors. The ARH proteins may be kept in the inactive, GDP-bound state by interaction with GDP dissociation inhibitors, such as ARHGD IA |
|-------------------|---|
| Applications: | ELISA, WB, IHC |
| Name of antibody: | ARHGDIA |
| Immunogen: | Fusion protein of human ARHGDIA |
| Full name: | Rho GDP dissociation inhibitor (GDI) alpha |



| Synonyms : | GDIA1; NPHS8; RHOGDI; RHOGDI-1; HEL-S-47e |
|-----------------------------|---|
| SwissProt: | P52565 |
| ELISA Recommended dilution: | 2000-5000 |
| IHC positive control: | Human breast cancer and Human esophagus cancer |
| IHC Recommend dilution: | 100-300 |
| WB Predicted band size: | 23 kDa |
| WB Positive control: | Mouse spleen tissue, A375, A549 and HT-29 cell s, mouse lung and Hela cells |
| WB Recommended dilution: | 500-2000 |





