

兔抗 DALRD3 多克隆抗体

中文名称：兔抗 DALRD3 多克隆抗体

英文名称： Anti-DALRD3 rabbit polyclonal antibody

相关类别： 一抗

储 存： 冷冻（-20℃）

宿 主： Rabbit

抗 原： DALRD3

反应种属： Human

标记物： Unconjugate

克隆类型： rabbit polyclonal

技术规格

| | |
|--------------------------|--|
| Background: | The exact function of this gene is not known. It encodes a protein with a DALR anticodon binding domain similar to that of class Ia aminoacyl tRNA synthetases. This gene is located in a cluster of genes (with a complex sense-anti-sense genome architecture) on chromosome 3, and contains two micro RNA (miRNA) precursors (mir-425 and mir-191) in one of its introns. Preferential expression of this gene (the miRNAs and other genes in the cluster) in testis suggests a role of this gene in spermatogenesis (PMID:19906709). |
| Applications: | ELISA, WB, IHC |
| Name of antibody: | DALRD3 |
| Immunogen: | Fusion protein of human DALRD3 |

| | |
|------------------------------------|--|
| Full name: | DALR anticodon binding domain containing 3 |
| SwissProt: | Q5D0E6 |
| ELISA Recommended dilution: | 5000-10000 |
| IHC positive control: | Human liver cancer |
| IHC Recommend dilution: | 25-100 |
| WB Predicted band size: | 59 kDa |
| WB Positive control: | HepG2 cell lysate |
| WB Recommended dilution: | 500-2000 |



