

兔抗 DYNC1LI1 多克隆抗体

中文名称: 兔抗 DYNC1LI1 多克隆抗体

英文名称: Anti-DYNC1LI1 rabbit polyclonal antibody

别 名: LIC1; DLC-A; DNCLI1

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: DYNC1LI1

反应种属: Human, Mouse, Rat

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to light int ermediate subunit family, whose members are compon ents of the multiprotein cytoplasmic dynein complex, which is involved in intracellular trafficking and chrom osome segregation during mitosis. The protein plays a role in moving the spindle assembly checkpoint (SAC) from kinetochores to spindle poles. The protein may al so mediate binding to other cargo molecules to facilit ate intracellular vesicle trafficking.
Applications:	ELISA, IHC
Name of antibody:	DYNC1LI1



Immunogen:	Fusion protein corresponding to a region derived from 324-523 amino acids of human DYNC1LI1
Full name:	dynein cytoplasmic 1 light intermediate chain 1
Synonyms:	LIC1; DLC-A; DNCLI1
SwissProt:	Q9Y6G9
ELISA Recommended dilution:	5000-10000
IHC Positive control:	Human liver cancer;Human brain
IHC Recommended dilution:	25-100





