

兔抗 EEF1D 多克隆抗体

中文名称：兔抗 EEF1D 多克隆抗体

英文名称：Anti-EEF1D rabbit polyclonal antibody

别名：eukaryotic translation elongation factor 1 delta; EF1D; EF-1D; FP1047

相关类别：一抗

储存：冷冻（-20℃）

宿主：Rabbit

抗原：EEF1D

反应种属：Human, Mouse, Rat

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:

This gene encodes a subunit of the elongation factor-1 complex, which is responsible for the enzymatic delivery of aminoacyl tRNAs to the ribosome. This subunit, delta, functions as guanine nucleotide exchange factor. It is reported that following HIV-1 infection, this subunit interacts with HIV-1 Tat. This interaction results in repression of translation of host cell proteins and enhanced translation of viral proteins. Several alternatively spliced transcript variants encoding multiple isoforms have been found for this gene. Related pseudogen

	es have been defined on chromosomes 1, 6, 7, 9, 11, 13, 17, 19.
Applications:	ELISA, WB, IHC
Name of antibody:	EEF1D
Immunogen:	Fusion protein of human EEF1D
Full name:	eukaryotic translation elongation factor 1 delta
Synonyms:	EF1D; EF-1D; FP1047
SwissProt:	P29692
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human thyroid cancer and Human ovarian cancer
IHC Recommend dilution:	50-300
WB Predicted band size:	31 kDa
WB Positive control:	A549, A172 and HepG2 cell lysates
WB Recommended dilution:	1000-5000



