

兔抗 EHHADH 多克隆抗体

中文名称: 兔抗 EHHADH 多克隆抗体

英文名称: Anti-EHHADH rabbit polyclonal antibody

别 名: LBP; ECHD; LBFP; PBFE; L-PBE

相关类别: 一抗

抗 原: EHHADH

储 存: 冷冻(-20℃)

宿 主: Rabbit

反应种属: Human, Mouse

标记物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

	The protein encoded by this gene is a bifunctional enzym
	e and is one of the four enzymes of the peroxisomal bet
	a-oxidation pathway. The N-terminal region of the encode
	d protein contains enoyl-CoA hydratase activity while the
Background:	C-terminal region contains 3-hydroxyacyl-CoA dehydrogen
	ase activity. Defects in this gene are a cause of peroxiso
	mal disorders such as Zellweger syndrome. Two transcript
	variants encoding different isoforms have been found for
	this gene.
Applications:	ELISA, WB, IHC
Name of antibody:	EHHADH



Immunogen:	Fusion protein of human EHHADH
Full name:	enoyl-CoA, hydratase/3-hydroxyacyl CoA dehydrogenase
Synonyms:	LBP; ECHD; LBFP; PBFE; L-PBE
SwissProt:	Q08426
ELISA Recommended dilution:	2000-5000
IHC positive control:	Human liver cancer and Human thyroid cancer
IHC Recommend dilution:	50-200
WB Predicted band size:	79 kDa
WB Positive control:	Mouse liver tissue
WB Recommended dilution:	200-1000





