

兔抗 EIF2B3 多克隆抗体

中文名称: 兔抗 EIF2B3 多克隆抗体

英文名称: Anti-EIF2B3 rabbit polyclonal antibody

别 名: eukaryotic translation initiation factor 2B subunit gamma; EIF-2B; EIF2Bgamma

相关类别: 一抗

储 存: 冷冻(-20℃)

宿 主: Rabbit

抗 原: EIF2B3

反应种属: Human, Rat

标 记 物: Unconjugate

克隆类型: rabbit polyclonal

技术规格

Background:	The protein encoded by this gene is one of the subunits of initiation factor eIF2B, which catalyzes the exchange of eukaryotic initiation factor 2-bound GDP for GTP. It has also been found to function as a cofactor of hepatitis C virus internal ribosome entry site-mediated translation. Mutations in this gene have been associated with leukod ystrophy with vanishing white matter. Alternatively splice d transcript variants encoding different isoforms have been found for this gene.
Applications:	ELISA, IHC
Name of antibody:	EIF2B3



Immunogen:	Fusion protein of human EIF2B3
Full name:	eukaryotic translation initiation factor 2B subunit gamma
Synonyms:	EIF-2B; EIF2Bgamma
SwissProt:	Q9NR50
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human liver cancer and Human esophagus cancer
IHC Recommend dilution:	100-200





