

兔抗 C8G 多克隆抗体

中文名称：兔抗 C8G 多克隆抗体

英文名称：Anti-C8G rabbit polyclonal antibody

别名：C8C

相关类别：一抗

抗原：C8G

储存：冷冻（-20℃）

宿主：Rabbit

反应种属：Human

标记物：Unconjugate

克隆类型：rabbit polyclonal

技术规格

Background:	The protein encoded by this gene belongs to the lipocalin family. It is one of the three subunits that constitutes complement component 8 (C8), which is composed of a disulfide-linked C8 alpha-gamma heterodimer and a non-covalently associated C8 beta chain. C8 participates in the formation of the membrane attack complex (MAC) on bacterial cell membranes. While subunits alpha and beta play a role in complement-mediated bacterial killing, the gamma subunit is not required for the bactericidal activity.
Applications:	ELISA, WB, IHC
Name of antibody:	C8G

Immunogen:	Full length fusion protein
Full name:	complement component 8, gamma polypeptide
Synonyms :	C8C
SwissProt:	P07360
ELISA Recommended dilution:	5000-10000
IHC positive control:	Human cervical cancer and Human tonsil
IHC Recommend dilution:	25-100
WB Predicted band size:	22 kDa
WB Positive control:	Human colorectal cancer tissue
WB Recommended dilution:	200-1000



